Hide Items Restore Clear Cancel

DATE: Saturday, October 16, 2004

H	ide?	<u>Set</u> Name	Query	<u>Hit</u> <u>Count</u>	
	DB=USPT; $PLUR=YES$; $OP=ADJ$				
	П	L56	709/238.ccls.	1072	
		L55	(notif\$6 or advertis\$6) same(router or server or node) with rout\$3 near3 table (updated or modified or chang\$5)	5	
		L53	L52 and 133	3	
		L52	709/239.ccls.	394	
	. [.	L51	709/241.ccls.	148	
		L50	L49 and 147	6	
		L49	709/217.ccls.	1848	
		L48	L47 same (server or node or web server)	19	
		L47	new adj3 (page or web page or content) near5 available	170	
		L46	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)	19	
		L45	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)with (transmit\$6 or send\$6 or propagat\$6 or transfer\$6)	1	
		L44	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page or web page or content)	77	
		L42	request near4 register\$6 same (trail or rout\$3 table)	33	
		L41	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14	
		L40	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14	
		L39	(transmit\$6 or send\$4 or launch\$4 or advertis\$6)same new adj3 (page or web page or content) with available	28	
		L38	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request or message) same new adj3 (page or web page or content) with node	9	
		L37	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new adj3 (page or web page or content) with available	5	
		L36	advertis\$6 same new near5 (content or page or web page)with available	8	
		L35	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with (new or chang\$3)near5 (content or page or web page)with available	. 4	
		L34	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with content with available	82	
		L33	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same content with available	386	

L31	advertis\$6 same new content with available	1
L29	(transmit\$6 or send\$4)with content with (request or register\$6)same advertis\$6 same available	4
L28	(transmit\$6 or send\$4) same register\$6 with content same advertis\$6 same available	1
L23	(transmit\$6 or send\$4) with register\$6 near3 message with content	97
L21	advertis\$6 with content with available	137
L19	advertis\$6 with content same available same (propogat\$4 or transmit\$6)	40
L18	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple	1
DB=F	PGPB; PLUR=YES; OP=ADJ	
L16	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple near5 cop\$4	0
L15	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	11
DB=U	JSPT; PLUR=YES; OP=ADJ	
L14	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	2
L12	rout\$4 same content descriptor	5
L11	L9 and 17	3
L10	L9 same 17	1
L9	identif\$6 with attribute with content	337
L8	L7 same payload	1
L7	content same content descriptor	149
DB=F	PGPB; PLUR=YES; OP=ADJ	
L2	20020087659	1
	L29 L28 L23 L21 L19 L18 DB=F L16 L15 DB=U L14 L12 L11 L10 L9 L8 L7 DB=F	L29 (transmit\$6 or send\$4) with content with (request or register\$6)same advertis\$6 same available L28 (transmit\$6 or send\$4) same register\$6 with content same advertis\$6 same available L23 (transmit\$6 or send\$4) with register\$6 near3 message with content L21 advertis\$6 with content with available L19 advertis\$6 with content same available same (propogat\$4 or transmit\$6) L18 content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple DB=PGPB; PLUR=YES; OP=ADJ L16 content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple near5 cop\$4 L15 content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content DB=USPT; PLUR=YES; OP=ADJ L14 content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content L12 rout\$4 same content descriptor L11 L9 and 17 L10 L9 same 17 L9 identif\$6 with attribute with content L8 L7 same payload L7 content same content descriptor DB=PGPB; PLUR=YES; OP=ADJ

Freeform Search

		-
	US Pre-Grant Publication Full-Text Database	
	US Patents Full-Text Database	
	US OCR Full-Text Database	
Database:	EPO Abstracts Database	
	JPO Abstracts Database	
	Derwent World Patents Index	
	IBM Technical Disclosure Bulletins	
Term:		
Display:	10 Documents in Display Format: TI	Starting with Number 1
Generate:	O Hit List • Hit Count O Side by Side	C Image
-		
	Se 8 8 9 1 24 1	*

Search History

DATE: Saturday, October 16, 2004 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> <u>Count</u>	Set Name result set
DB =			
<u>L53</u>	L52 and 133	3	<u>L53</u>
<u>L52</u>	709/239.ccls.	394	<u>L52</u>
<u>L51</u>	709/241.ccls.	148	<u>L51</u>
<u>L50</u>	L49 and 147	6	<u>L50</u>
<u>L49</u>	709/217.ccls.	1848	<u>L49</u>
<u>L48</u>	L47 same (server or node or web server)	19	<u>L48</u>
<u>L47</u>	new adj3 (page or web page or content) near5 available	170	<u>L47</u>
<u>L46</u>	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)	19	<u>L46</u>
<u>L45</u>	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content) with (transmit\$6 or send\$6 or propagat\$6 or transfer\$6)	1	<u>L45</u>
<u>L44</u>	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page or web page or content)	77	<u>L44</u>
<u>L43</u>	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page	0	<u>L43</u>

	or web page or content) same (trail or rout\$3 table)		
<u>L42</u>	request near4 register\$6 same (trail or rout\$3 table)	33	<u>L42</u>
<u>L41</u>	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14	<u>L41</u>
<u>L40</u>	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14	<u>L40</u>
<u>L39</u>	(transmit\$6 or send\$4 or launch\$4 or advertis\$6)same new adj3 (page or web page or content) with available	28	<u>L39</u>
<u>L38</u>	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request or message) same new adj3 (page or web page or content) with node	9	<u>L38</u>
<u>L37</u>	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new adj3 (page or web page or content) with available	5	<u>L37</u>
<u>L36</u>	advertis\$6 same new near5 (content or page or web page)with available	8	<u>L36</u>
<u>L35</u>	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with (new or chang\$3)near5 (content or page or web page)with available	4	<u>L35</u>
<u>L34</u>	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with content with available	82	<u>L34</u>
<u>L33</u>	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same content with available	386	<u>L33</u>
<u>L32</u>	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new content with available	0	L32
<u>L31</u>	advertis\$6 same new content with available	1	<u>L31</u>
<u>L30</u>	advertis\$6 with new content with available	0	<u>L30</u>
<u>L29</u>	(transmit\$6 or send\$4)with content with (request or register\$6)same advertis\$6 same available	4	<u>L29</u>
<u>L28</u>	(transmit\$6 or send\$4) same register\$6 with content same advertis\$6 same available	1	<u>L28</u>
<u>L27</u>	(transmit\$6 or send\$4) same register\$6 near3 message with content same advertis\$6 same available	0	<u>L27</u>
<u>L26</u>	(transmit\$6 or send\$4) with register\$6 near3 message with content same advertis\$6 same available	0	<u>L26</u>
<u>L25</u>	L23 and l21	0	<u>L25</u>
<u>L24</u>	L23 same l21	0	<u>L24</u>
<u>L23</u>	(transmit\$6 or send\$4) with register\$6 near3 message with content	97	<u>L23</u>
<u>L22</u>	advertis\$6 with content with available with node	0	<u>L22</u>
<u>L21</u>	advertis\$6 with content with available	137	<u>L21</u>
<u>L20</u>	advertis\$6 with content with available with (propogat\$4 or transmit\$6)	0	<u>L20</u>
<u>L19</u>	advertis\$6 with content same available same (propogat\$4 or transmit\$6)	40	<u>L19</u>
<u>L18</u>	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple	1	<u>L18</u>
<u>L17</u>	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple near5 cop\$4	0	<u>L17</u>
DB =	PGPB; PLUR=YES; OP=ADJ		
<u>L16</u>	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple near5 cop\$4	0	<u>L16</u>

<u>L15</u>	with content	* 11	<u>L15</u>
DB =	USPT; PLUR=YES; OP=ADJ		
<u>L14</u>	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	2	<u>L14</u>
<u>L13</u>	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribue with content	0	<u>L13</u>
<u>L12</u>	rout\$4 same content descriptor	5	<u>L12</u>
<u>L11</u>	L9 and 17	3	<u>L11</u>
<u>L10</u>	L9 same 17	1	<u>L10</u>
<u>L9</u>	identif\$6 with attribute with content	337	<u>L9</u>
<u>L8</u>	L7 same payload	1	<u>L8</u>
<u>L7</u>	content same content descriptor	149	<u>L7</u>
<u>L6</u>	multiple near5 cop\$3 same content descriptor	0	<u>L6</u>
<u>L5</u>	multiple near5 cop\$3 near5 content same content descriptor	0	<u>L5</u>
DB =	PGPB; PLUR=YES; OP=ADJ		
<u>L4</u>	multiple near5 cop\$3 near5 content t same content descriptor	0	<u>L4</u>
<u>L3</u>	mukltiple near5 cop\$3 same content same content descriptor	0	<u>L3</u>
<u>L2</u>	20020087659	1	<u>L2</u>
DB=	USPT; PLUR=YES; OP=ADJ		
<u>L1</u>	6542468.pn.	1	<u>L1</u>



DATE: Saturday, October 16, 2004

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count		
	DB=USPT; PLUR=YES; OP=ADJ				
	L53	L52 and 133	3		
	L52	709/239.ccls.	394		
	L51	709/241.ccls.	148		
	L50	L49 and 147	6		
	L49	709/217.ccls.	1848		
	L48	L47 same (server or node or web server)	19		
	L47	new adj3 (page or web page or content) near5 available	170		
	L46	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)	19		
	L45	(notif\$6 or advertis\$6) with (node or host or computer) with new adj3 (page or web page or content)with (transmit\$6 or send\$6 or propagt\$6 or transfer\$6)	1		
1	L44	(notif\$6 or advertis\$6) same (node or host or computer) same new adj3 (page or web page or content)	77		
	L42	request near4 register\$6 same (trail or rout\$3 table)	33		
	L41	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14		
	L40	(notif\$6 or advertis\$6) same new adj3 (page or web page or content) with (recived or available or located)	14		
	L39	(transmit\$6 or send\$4 or launch\$4 or advertis\$6)same new adj3 (page or web page or content) with available	28		
	L38	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request or message) same new adj3 (page or web page or content) with node	9		
	L37	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same new adj3 (page or web page or content) with available	5		
Ė	L36	advertis\$6 same new near5 (content or page or web page)with available	8		
	L35	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with (new or chang\$3)near5 (content or page or web page)with available	4		
	L34	(transmit\$6 or send\$4 or launch\$4) with (register\$3 or request)with content with available	82		
	L33	(transmit\$6 or send\$4 or launch\$4) same (register\$3 or request)same content with available	386		
	L31	advertis\$6 same new content with available	1		
	L29	(transmit\$6 or send\$4)with content with (request or register\$6)same advertis\$6 same available	4		

L28	(transmit\$6 or send\$4) same register\$6 with content same advertis\$6 same available	1
L23	(transmit\$6 or send\$4) with register\$6 near3 message with content	97
L21	advertis\$6 with content with available	137
L20	advertis\$6 with content with available with (propogat\$4 or transmit\$6)	0
L19	advertis\$6 with content same available same (propogat\$4 or transmit\$6)	40
L18	content descriptor same (describ\$5 or identif\$6 or defin\$3) same multiple	1
DB=F	PGPB; PLUR=YES; OP=ADJ	
L15	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	11
DB=U	JSPT; PLUR=YES; OP=ADJ	
L14	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	2
L12	rout\$4 same content descriptor	5
L11	L9 and 17	3
L10	L9 same 17	1
L9	identif\$6 with attribute with content	337
L8	L7 same payload	1
L7	content same content descriptor	149
L5	multiple near5 cop\$3 near5 content same content descriptor	C
DB=P	PGPB; PLUR=YES; OP=ADJ	
L2	20020087659	. 1
DB=U	JSPT; PLUR=YES; OP=ADJ	
L1	6542468.pn.	1



DATE: Saturday, October 16, 2004

Hide?	Set Name	<u>Query</u>	Hit Count
	DB = US	PT; PLUR=YES; OP=ADJ	
	L12	rout\$4 same content descriptor	5
	L11	L9 and 17	3
	L10	L9 same 17	1
	L9	identif\$6 with attribute with content	337.
	Ľ8	L7 same payload	1
	L7	content same content descriptor	149
	DB=PG	PB; PLUR=YES; OP=ADJ	
	L2	20020087659	1
	DB=US	PT; PLUR=YES; OP=ADJ	
	L1	6542468.pn.	1



DATE: Saturday, October 16, 2004

Hide?	<u>Set</u> Name	Query	<u>Hit</u> Count	
	DB=PC	GPB; PLUR=YES; OP=ADJ		
	L15	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	11	
•	DB=US	SPT; PLUR=YES; OP=ADJ		
	L14	content descriptor same (describ\$5 or identif\$6 or defin\$3) with attribute with content	2	
	L12	rout\$4 same content descriptor	5	
	L11	L9 and 17	3	
	L10	L9 same 17	1	
	L9	identif\$6 with attribute with content	337	
	L8	L7 same payload	1	
	L7	content same content descriptor	149	
DB=PGPB; PLUR=YES; OP=ADJ				
	L2	20020087659	. 1	